


# FLEXLIFT

## Compact Lift Tables FK Series





**The FLEXLIFT FK series** offers a comprehensive programme: Assembly lift tables for ergonomic workstation design, lift table for the loading area, system lift table for continuous use in conveyor technology.



The modular design system together with the extensive accessories programme offers standard lift tables that are already suitable for the majority of applications.




The FK-D series (double scissors) is designed for large lifting heights with a short platform. The compact double-scissor lift table is available with design heights starting from 350 mm, lifting heights up to 2,600 mm and load capacities up to 5,000 kg.



Standard FK series with a load capacity of up to 10,000 kg and a maximum usable lifting height of 1,600 mm



Maintenance opening for easy access to the drive components, also in the lower limit position



FLEXLIFT FK-T series (tandem scissors) for large platform lengths:

Platform lengths up to 6,000 mm, load capacities up to 10,000 kg and a usable lifting height up to 1,600 mm




The FLEXLIFT FK series together with the accessories programme offers a comprehensive portfolio for the majority of applications. FLEXLIFT offers custom solutions tailored to special customer requirements.


The FLEXLIFT lift tables of the FK series as well as all other FLEXLIFT products fully comply with the legal requirements of EN 1570 and the Machinery Directive.



Lift/tilt table for loads up to 1,500 kg and up to 40° tilt. The illustrated lift table can be underrun with the E-pallet jack and relocated by forklift.



Loading table with side railing. Further safety accessories upon request.



Compact lift table with all-around bellows as access and underrun protection.



FK series as customer-specific special solutions with substructure and integrated aggregate with control

FLEXLIFT compact lift tables of the FX series offer a different design height than FLEXLIFT low profile lift tables.


Starting from a design height of 180 mm, the product portfolio offers load capacities of 500 to 10,000 kg. This comprehensive type variety is supplemented with numerous special designs. With a comprehensive accessories programme, this lift table series meets all industry and logistics requirements.

The standard FLEXLIFT lift tables of the FK series are equipped with a variety of functions. In addition, a variety of accessories is available to adjust the lift tables to the requirements of the customer.


## Accessory examples:




**Railing**, pluggable, welded or bolted




**Railing door**




**Gantry railing**



**Access ramp** manually operated, divided design




**Tilting platform**




**Prism support**




**Roll-off protection**



**Crossing possible**, with 6 t wheel load



**External aggregate**



**Photocell control**



**Turntable**



**Roller bed**

Further accessories under [www.flexlift.de](http://www.flexlift.de)

FLEXLIFT Hubgeräte GmbH  
Eckendorferstr. 115  
D-33609 Bielefeld  
Tel. +49 (0) 521/7806-0  
Fax: +49 (0) 521/7806-110  
[www.flexlift.de](http://www.flexlift.de)  
[verkauf@flexlift.de](mailto:verkauf@flexlift.de)

